L	Hits	Search Text	DB	Time stamp
Number	uics	Sealch lext	DB	-
1	1	6012081.pn.	USPAT; EPO; JPO;	2003/04/02 11:13
			IBM TDB	11.13
-	5817	(timer (time near3 device)) and (state	USPAT;	2003/03/10
		adj machine)	EPO; JPO; IBM TDB	17:25
_	102	((timer (time near3 device)) and (state	USPAT;	2003/03/07
		adj machine)) and ((API DLL\$1) near3	EPO; JPO;	16:48
_	85	<pre>(function\$1 method\$1)) (((timer (time near3 device)) and (state</pre>	IBM_TDB USPAT;	2003/03/07
		adj machine)) and ((API DLL\$1) near3	EPO; JPO;	16:41
		(function\$1 method\$1))) and (synchronous	IBM_TDB	
_	44	asynchronous) (((timer (time near3 device)) and (state	USPAT;	2003/03/07
		adj machine)) and ((API DLL\$1) near3	EPO; JPO;	16:41
		(function\$1 method\$1))) and synchronous and asynchronous	IBM_TDB	
_	1156	timer and (timer near3 (expire\$1 stop	USPAT;	2003/03/07
		idle run\$3)) and (state adj machine)	EPO; JPO; IBM TDB	16:48
_	1146	(timer and (timer near3 (expire\$1 stop	USPAT;	2003/03/07
	====	idle run\$3)) and (state adj machine)) and	EPO; JPO;	16:48
_	50	(API DLL\$1 function\$1 method\$1) (timer and (timer near3 (expire\$1 stop	IBM_TDB USPAT;	2003/03/07
		idle run\$3)) and (state adj machine)) and	EPO; JPO;	16:51
		((API DLL\$1) near3 (function\$1 method\$1))	IBM_TDB USPAT;	2003/03/07
_	63	(timer and (timer near3 (expire\$1 stop idle run\$3)) and (state adj machine)) and	EPO; JPO;	17:09
		((synchronous asynchronous) adj3 (machine	IBM_TDB	
	468	system computer))   709/314,328,320.ccls.	USPAT;	2003/03/07
	100	703/314/320/320.0013.	EPO; JPO;	17:09
	2.4	709/314,328,320.ccls. and (state adj	IBM_TDB USPAT;	2003/03/07
_	24	machine)	EPO; JPO;	17:11
			IBM_TDB	2002/02/07
-	64	709/314,328,320.ccls. and timer	USPAT; EPO; JPO;	2003/03/07
			IBM_TDB	
_	57	(709/314,328,320.ccls. and timer) and (expired run idle stop)	USPAT; EPO; JPO;	2003/03/07
		(expired lum lule scop)	IBM_TDB	17.11
_	10	709/314,328,320.ccls. and timer and	USPAT;	2003/03/07 17:12
		(state adj2 machine)	EPO; JPO; IBM TDB	17.12
-	1	5958019.pn. and timer	USPAT;	2003/03/11
			EPO; JPO; IBM TDB	14:39
-	105	709/310,328,329.ccls. and timer	USPAT;	2003/03/11
			EPO; JPO; IBM TDB	15:21
_	85	timer near3 (manage\$4 adj (system	USPAT;	2003/03/11
		application module))	EPO; JPO;	15:23
	9	(timer near3 (manage\$4 adj (system	<pre>IBM_TDB USPAT;</pre>	2003/03/11
		application module))) and (state adj	EPO; JPO;	15:26
	12	machine)	<pre>IBM_TDB USPAT;</pre>	2003/03/11
_	13	(timer near3 (manage\$4 adj (system application module))) and (state near3	EPO; JPO;	15:26
		timer)	IBM_TDB	2002/02/11
-	1112	timer same (state adj machine)	USPAT; EPO; JPO;	2003/03/11 17:10
			IBM_TDB	
-	172		USPAT; EPO; JPO;	2003/03/11
		<pre>(timer near3 (API interface function\$1 method\$1))</pre>	IBM TDB	17.20
-	1391	(timer or (timer adj object)) same (state	USPAT;	2003/03/11
		near3 (transition transfer expire\$1))	EPO; JPO; IBM TDB	17:27
I	1			<u> </u>

-	828	((timer or (timer adj object)) same	USPAT;	2003/03/11
		(state near3 (transition transfer	EPO; JPO;	17:27
		expire\$1))) and (API interface)	IBM_TDB	
-	409	(((timer or (timer adj object)) same	USPAT;	2003/03/11
1		(state near3 (transition transfer	EPO; JPO;	17:27
		expire\$1))) and (API interface)) and	IBM TDB	
		(state adj machine)		
1_	7		USPAT;	2003/03/11
_	′			17:29
1		(state near3 (transition transfer	EPO; JPO;	17:29
		expire\$1))) and (API interface)) and	IBM_TDB	
		((illegal time\$1out) adj2 message\$1)		
-	4	((((timer or (timer adj object)) same	USPAT;	2003/03/11
		(state near3 (transition transfer	EPO; JPO;	17:32
		expire\$1))) and (API interface)) and	IBM TDB	
		(state adj machine)) and ((illegal	-	
		time\$1out) adj2 message\$1)		
	2		USPAT;	2003/03/11
-	i	API) and ((illegal or (time\$lout)) adj	EPO; JPO;	17:33
				17:33
		message)	IBM_TDB	
-	165	(timer near3 expire\$1) and database and	USPAT;	2003/03/11
		API	EPO; JPO;	17:40
			IBM TDB	
_	60	((timer near3 expire\$1) and database and	USPAT;	2003/03/11
	1	API) and synchronous and asynchronous	EPO; JPO;	17:42
		line, and synonicals and asynonicals	IBM TDB	- · · · -
	271	(times near) evaluation and ADT	USPAT;	2003/03/11
-	271	(timer near3 expire\$1) and API		, _ ,
			EPO; JPO;	17:40
			IBM_TDB	
-	0		USPAT;	2003/03/11
	1	(synchronous adj (system computer)) and	EPO; JPO;	17:41
1		(asynchronous adj (system computer))	IBM TDB	
_	1	((timer near3 expire\$1) and API) and	USPAT;	2003/03/11
	*	(synchronous adj3 (system computer)) and	EPO; JPO;	17:41
i			IBM TDB	1/.31
	1	(asynchronous adj3 (system computer))		2002/02/11
-	86		USPAT;	2003/03/11
		synchronous and asynchronous	EPO; JPO;	17:42
	,		IBM_TDB	
-	7	(timer adj management) and (state adj	USPAT;	2003/03/12
		machine)	EPO; JPO;	15:47
	}		IBM TDB	,
1 _	6	(timer adj management) and (timer adj	USPAT;	2003/03/12
		(object\$1 service\$1))	EPO; JPO;	15:48
	1	(02)00041 001410041//	IBM TDB	• • •
		(times add management) and (times add	USPAT;	2003/03/12
-	6	(timer adj management) and (timer adj		
		(object\$1 service\$1)) and timer	EPO; JPO;	15:54
			IBM_TDB	
-	1	"5706515".PN.	USPAT	2003/03/12
	ĺ			15:52
_	1	"5694604".PN.	USPAT	2003/03/12
	i -			15:53
! _	1	"4589093".PN.	USPAT	2003/03/12
	i +	1000000 .1111		15:54
	-	(times add managed) and (times add	USPAT;	2003/03/12
-	7	(timer adj manage\$4) and (timer adj		i i
		(object\$1 service\$1)) and timer	EPO; JPO;	15:55
			IBM_TDB	0000/00/10
-	1	"5533020".PN.	USPAT	2003/03/12
	1			15:56
-	1	"5386561".PN.	USPAT	2003/03/12
	1			15:57
_	1	"5193186".PN.	USPAT	2003/03/12
	1			15:57
	!	"5102196" DN	USPAT	2003/03/12
-	1	"5193186".PN.	OSTAL	15:58
		1,, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	HCDDT -	2003/03/13
-	15	(transport adj module\$1) same register\$3	USPAT;	
	1		EPO; JPO;	09:20
	1		IBM_TDB	
-	189	(transport adj (module\$1 protocol)) and	USPAT;	2003/03/13
		(register\$3 near3 (client\$1 application\$1	EPO; JPO;	09:24
	1	program\$1))	IBM TDB	
I	L	broaramár)		<u> </u>

				7
-	92	((transport adj (module\$1 protocol)) and	USPAT;	2003/03/13
		<pre>(register\$3 near3 (client\$1 application\$1</pre>	EPO; JPO;	09:24
		<pre>program\$1))) and queue\$3</pre>	IBM_TDB	
-	358	(timer near3 (service\$1 manage\$4)) same	USPAT;	2003/03/14
		(state (state adj machine))	EPO; JPO;	10:53
			IBM TDB	
_	80	((timer near3 (service\$1 manage\$4)) same	USPAT;	2003/03/14
		(state (state adj machine))) and (timer	EPO; JPO;	11:00
		near3 expir\$3)	IBM TDB	
1	6231	(timer or (timer adj object)) near3 state	USPAT;	2003/03/14
-	0231	(cimer of (cimer ad) object)) hears state		11:16
			EPO; JPO;	11:10
			IBM_TDB	
-	713	((timer or (timer adj object)) near3	USPAT;	2003/03/14
	1	state) and (timer near3 expir\$3)	EPO; JPO;	11:00
			IBM_TDB	
-	26	(((timer or (timer adj object)) near3	USPAT;	2003/03/14
		state) and (timer near3 expir\$3)) and	EPO; JPO;	11:05
		((synchronous asynchronous) adj3 (machine	IBM TDB	
		system computer))		
1_	164	(((timer or (timer adj object)) near3	USPAT;	2003/03/14
	101	state) and (timer near3 expir\$3)) and	EPO; JPO;	11:18
Į.		queue	IBM TDB	
1	11705		USPAT;	2003/03/14
-	11705	(timer or (timer adj object)) same		
4		(synch\$ asynch\$)	EPO; JPO;	11:17
1			IBM_TDB	0000 (05 (5 )
1 -	821	((timer or (timer adj object)) same	USPAT;	2003/03/14
	1 1	(synch\$ asynch\$)) and (state adj machine)	EPO; JPO;	11:20
1			IBM TDB	
-	84	((timer or (timer adj object)) same	USPAT;	2003/03/14
1		(synch\$ asynch\$)) and (timer near4 (state	EPO; JPO;	11:36
1		adj machine))	IBM TDB	
	101	timer adj object	USPAT;	2003/03/14
_	101	cimer adj object	EPO; JPO;	11:42
1				11.42
			IBM_TDB	2002/02/14
-	62962	(timer).ab.	USPAT;	2003/03/14
	1		EPO; JPO;	11:43
			IBM_TDB	
-	439	(timer adj2 (object state service\$1	USPAT;	2003/03/14
		manag\$)).ab.	EPO; JPO;	11:43
		-	IBM TDB	1
_	0	((timer adj2 (object state service\$1	USPAT;	2003/03/14
		<pre>manag\$)).ab.) and (synch\$ same asynch\$)</pre>	EPO; JPO;	11:44
			IBM TDB	
1_	281	((timer adj2 (object state service\$1	USPAT;	2003/03/14
	201	manag\$)).ab.) and (state (state adj	EPO; JPO;	11:45
1	67.5	machine))	IBM TDB	
		II	USPAT;	2003/03/14
-	3		EPO; JPO;	11:48
1		manag\$)).ab.) and (state (state adj		11.70
1		machine))) and synch\$ and asynch\$	IBM_TDB	2002/02/17
1 -	496	713/502.ccls.	USPAT;	2003/03/17
1			EPO; JPO;	15:44
	4.74		IBM_TDB	
-	222	713/502.ccls. and timer	USPAT;	2003/03/17
			EPO; JPO;	15:47
			IBM TDB	
l -	26	713/502.ccls. and timer and (state adj	USPAT;	2003/03/17
		machine)	EPO; JPO;	15:47
		1100111101	IBM TDB	
	1	object\$1 same (state adj machine) and	USPAT;	2003/03/17
-	1			16:19
P. C.		(illegal adj4 message\$1)	EPO; JPO;	10.19
			IBM_TDB	2002/02/17
1 -	6284	object\$1 and (API interface) and (synch\$	USPAT;	2003/03/17
1	Y I	same asynch\$)	EPO; JPO;	16:29
1			IBM_TDB	
1-	1170	(object\$1 and (API interface) and (synch\$	USPAT;	2003/03/17
10		<pre>same asynch\$)) and (state adj machine)</pre>	EPO; JPO;	16:29
1		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	IBM TDB	
_	15	((object\$1 and (API interface) and	USPAT;	2003/03/17
_		(synch\$ same asynch\$)) and (state adj	EPO; JPO;	16:20
		machine)) and fillogal near? /magazaci		
		machine)) and (illegal near3 (message\$1	IBM_TDB	
1	1	error\$1))	1	L.,

-	1581	(object\$1 same (API interface)) and	USPAT;	2003/03/17
		(synch\$ same asynch\$)	EPO; JPO;	16:28
		-	IBM_TDB	
_	307	((object\$1 same (API interface)) and	USPAT;	2003/03/17
		(synch\$ same asynch\$)) and (state adj	EPO; JPO;	16:32
		machine)	IBM_TDB	
-	1	"6011559".PN.	USPAT	2003/03/17
				16:48
1 -	8	(active adj queue) and consumer\$1	USPAT;	2003/03/18
			EPO; JPO;	14:13
			IBM_TDB	